



## Effect of electrostatic interactions on pH fronts propagation in saturated in saturated porous media

Muniruzzaman, Muhammad; Rolle, Massimo

*Publication date:*  
2017

*Document Version*  
Peer reviewed version

[Link back to DTU Orbit](#)

*Citation (APA):*

Muniruzzaman, M., & Rolle, M. (2017). *Effect of electrostatic interactions on pH fronts propagation in saturated in saturated porous media*. Abstract from 9th International Conference on Porous Media & Annual Meeting, Rotterdam, Netherlands.

---

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Effect of electrostatic interactions on pH fronts propagation in saturated porous media

*Presenter: Muhammad Muniruzzaman*  
*Contact Author: Muhammad Muniruzzaman*

## AUTHORS

**Muhammad Muniruzzaman <sup>1</sup>, Massimo Rolle <sup>2</sup>**

<sup>1</sup> Technical University of Denmark, Kgs. Lyngby, DK

<sup>2</sup> Technical University of Denmark, Kgs. Lyngby, DK

## ABSTRACT

Electrostatic interactions and molecular diffusion have been increasingly recognized as important factors for the transport of ionic species in porous media. Such processes affect the displacement of charged species in pore water under both diffusion-dominated [1] and advection-dominated flow regimes [2].

This work presents an investigation of pH fronts propagation during multicomponent ionic transport in saturated porous media under flow-through conditions. We performed laboratory bench-scale experiments and numerical modeling to show the important influence of Coulombic effects on proton transport in the presence of ionic admixtures. The experiments were performed in a quasi two-dimensional flow-through setup under steady-state flow and transport conditions. Dilute solutions of HCl with MgCl<sub>2</sub> (1:2 strong electrolyte) were used as tracer solutions to experimentally test the effect of electrochemical cross-coupling on the migration of diffusive/dispersive pH fronts. We focus on two experimental scenarios, with different composition of tracer solutions, causing remarkably different effects on the propagation of the acidic fronts. We observed relative differences in the penetration depth of pH fronts of 36% between the two scenarios and of 25% and 15% for each scenario with respect to the transport of ions at liberated state (i.e., without considering the charge effects). Also significant differences in the dilution of the distinct ions plumes, quantified using the flux-related dilution index at the laboratory bench scale [3], were measured at the outflow of the flow-through system. The dilution of the pH plumes also changed considerably (26% relative difference) in the two flow-through experiments only due to the different composition of the pore water solution and to the electrostatic coupling of the ions in the flow-through setups. Numerical transport simulations were performed to interpret the laboratory experiments. The simulations were based on a multicomponent ionic formulation accurately capturing the Coulombic interactions between the transported ions in the flow-through system. The results of purely forward simulations show a very good agreement with the high-resolution measurements performed at the outlet of the flow-through setup and confirms the importance of charge effects on pH transport in porous media.

## REFERENCES

- [1] Appelo, C. A. J., and P. Wersin (2007). Environ. Sci. Technol., 41(14), 5002-5007.
- [2] Rolle, M., M. Muniruzzaman, C. M. Haberer, and P. Grathwohl (2013). Geochim. Cosmochim. Acta, 120, 195-205.
- [3] Rolle, M., G. Chiogna, D. L. Hochstetler, and P. K. Kitanidis (2013). J. Contam. Hydrol., 153, 51-68.

## GRAPHICS

